

*	HL6	HL9	HL12	HL18	HL24	HL27	HL30	HL36	HL45	Article No.	Description
<b>Cabinet</b>											
	1	1	1	1	1	1				B-2129001	Cabinet HL 6-27
							1	1	1	B-2129003	Cabinet HL 30-45
51	1	1	1	1	1	1	1	1	1	E-2502412	control switch, 2 pole basic, middle "0"
	1	1	1	1	1	1	1	1	1	E-2124008	Key for safety lock
<b>Steam Generation [B,C and CP; BDS, CDS and CPDS; P controller]</b>											
	1									B-2205315	Cylinder compl. incl. 1 heater element 4,5 kW, 1 thermal sensor and terminal
		1								B-2205317	Cylinder compl. incl. 1 heater element 6,75 kW, 1 thermal sensor and terminal
			1							B-2205319	Cylinder compl. incl. 2 heater element 4,5 kW, 1 thermal sensor and terminal
				1						B-2205321	Cylinder compl. incl. 2 heater element 6,75 kW, 1 thermal sensor and terminal
					1					B-2205323	Cylinder compl. incl. 4 heater element 4,5 kW, 1 thermal sensor and terminal
						1				B-2205331	Cylinder compl. with 4 heater elements 6,75kW, 1 thermal sensor and terminal
							1			B-2205325	Cylinder compl. incl. 5 heater element 4,5 kW, 1 thermal sensor and terminal
								1		B-2205327	Cylinder compl. incl. 4 heater element 6,75 kW, 1 thermal sensor and terminal
									1	B-2205329	Cylinder compl. incl. 5 heater element 6,75 kW, 1 thermal sensor and terminal
	1									B-2206341	Steam cylinder top for HL 06 complete
		1								B-2206343	Steam cylinder top for HL 09 complete
			1							B-2206345	Steam cylinder top for HL 12 complete
				1						B-2206347	Steam cylinder top for HL 18 complete
					1					B-2206349	Steam cylinder top for HL 24 complete
						1				B-2206351	Steam cylinder top for HL 27 complete
							1			B-2206353	Steam cylinder top for HL 30 complete
								1		B-2206355	Steam cylinder top for HL 36 complete
									1	B-2206357	Steam cylinder top for HL 45 complete
1	1	1	1	1	1					E-2525504	Terminal 6 pole, 16mm <sup>2</sup>
				1		1	1	1		E-2525500	Terminal 9 pole, 16mm <sup>2</sup>
<b>Steam Generation [P2 controller]</b>											
	1									B-2205315	Cylinder compl. incl. 1 heater element 4,5 kW, 1 thermal sensor and terminal
		1								B-2205317	Cylinder compl. incl. 1 heater element 6,75 kW, 1 thermal sensor and terminal
			1							B-2205319	Cylinder compl. incl. 2 heater element 4,5 kW, 1 thermal sensor and terminal
				1						B-2205351	Cylinder compl. incl. 3 heater element 4,5 kW, 1 thermal sensor and terminal
					1					on request	Cylinder compl. incl. 4 heater element 4,5 kW, 1 thermal sensor and terminal
						1				on request	Cylinder compl. with 4 heater elements 6,75kW, 1 thermal sensor and terminal
							1			on request	Cylinder compl. incl. 5 heater element 4,5 kW, 1 thermal sensor and terminal
								1		on request	Cylinder compl. incl. 4 heater element 6,75 kW, 1 thermal sensor and terminal
									1	on request	Cylinder compl. incl. 5 heater element 6,75 kW, 1 thermal sensor and terminal
	1									B-2206341	Steam cylinder top for HL 06 complete
		1								B-2206343	Steam cylinder top for HL 09 complete
			1							B-2206345	Steam cylinder top for HL 12 complete
				1						on request	Steam cylinder top for HL 18 complete
					1					on request	Steam cylinder top for HL 24 complete
						1				on request	Steam cylinder top for HL 27 complete
							1			on request	Steam cylinder top for HL 30 complete
								1		on request	Steam cylinder top for HL 36 complete
									1	on request	Steam cylinder top for HL 45 complete
1	1									E-2525504	Terminal 6 pole, 16mm <sup>2</sup>
		1	1	2	1	2	2	2		E-2525500	Terminal 9 pole, 16mm <sup>2</sup>
<b>Steam Generation [all control types]</b>											
5	1	1								E-2205070	Cover for cylinder, small, for 1 heater element and 1 thermal sensor
5		1	1							E-2205072	Cover for cylinder, small, for 2 heater element and 1 thermal sensor
5				1						E-2205064	Cover for cylinder, small for 3 heater element and 1 thermal sensor
5				1						E-2205074	Cover for cylinder, small, for 4 heater element and 1 thermal sensor
5					1					E-2205066	Cover for cylinder, big, for 4 heater element and 1 thermal sensor
5						1	1			E-2205068	Cover for cylinder, big, for 5 heater element and 1 thermal sensor
9	1	1	1	1	1	1				E-2205078	Cylinder- lower part, small
9							1	1	1	E-2205076	Cylinder- lower part, big
	1	1	1	1	1	1				E-2205104	Belt for HL cylinder fixation, short
							1	1	1	E-2205106	Belt for HL cylinder fixation, long

*	HL6	HL9	HL12	HL18	HL24	HL27	HL30	HL36	HL45	Article No.	Description
15	1	1	1	1	1	1				E-2205086	O-ring, cylinder lower part - cylinder cover, small
15							1	1	1	E-2205084	O-ring, cylinder lower part - cylinder cover, big
8	1		2		4		5			B-2205083	Heater element, 400V/4,5 kW incl. gasket, plates
8		1		2		3		4	5	B-2205085	Heater element, 400V/6,75 kW incl. gasket, plates
16	1	1	2	2	4	3	5	4	5	E-2205062	Pressureplate for heater element attachment
41	1	1	1	1	1	1	1	1	1	E-2205126	Thermal sensor (cylinder cover) 105°C, since 01/2013
29	1	1	1	1	1	1	1	1	1	B-2205033	Thermal sensor (heater element) incl. Sealing, since 01/2013
	15	15	15	15	15	15	15	15	15	E-2205012	Clamp for thermal sensor, since 01/2013
29	1	1	1	1	1	1	1	1	1	B-2205029	Thermal sensor incl. Sealing, until 12/2012
	1	1	1	1	1	1	1	1	1	E-2205029	Protection cap for thermal sensor B-2205029
10	10	10	10	10	10	10	10	10	10	E-2205028	Clamp for thermal sensor,until 12/2012
2	1	1	1	1	1	1	1	1	1	B-2205025	Steam hose adapter DN40
3	1	1	1	1	1	1	1	1	1	B-2304109	Nozzle for steam hose adapter
24	1	1	1	1	1	1	1	1	1	E-2209002	Clip for steam hose adapter DN40
4	1	1	1	1	1	1	1	1	1	E-2204022	O-ring for steam hose adapter DN40
1	2	2	2	2	2	2	2	2	2	E-2205088	Star knob screw, fixation steam hose adapter HL
											<b>Steam Generation [B,C and CP; BDS, CDS and CPDS; P controller]</b>
											<b>Steam generation with electrical supply 440V</b>
1										B-2205407	Cylinder compl. incl. 1 heater element 4,5 kW, 1 thermal sensor and terminal
	1									B-2205409	Cylinder compl. incl. 1 heater element 6,75 kW, 1 thermal sensor and terminal
		1								B-2205411	Cylinder compl. incl. 2 heater element 4,5 kW, 1 thermal sensor and terminal
			1							B-2205413	Cylinder compl. incl. 2 heater element 6,75 kW, 1 thermal sensor and terminal
				1						B-2205415	Cylinder compl. incl. 4 heater element 4,5 kW, 1 thermal sensor and terminal
					1					B-2205423	Cylinder compl. with 3 heater elements 6,75kW, 1 thermal sensor and terminal
						1				B-2205425	Cylinder compl. incl. 5 heater element 4,5 kW, 1 thermal sensor and terminal
							1			B-2205427	Cylinder compl. incl. 4 heater element 6,75 kW, 1 thermal sensor and teminal
								1		B-2205429	Cylinder compl. incl. 5 heater element 6,75 kW, 1 thermal sensor and teminal
											<b>Steam generation with electrical supply 480V</b>
1										B-2205335	Cylinder compl. incl. 1 heater element 4,5 kW, 1 thermal sensor and terminal
	1									B-2205337	Cylinder compl. incl. 1 heater element 6,75 kW, 1 thermal sensor and teminal
		1								B-2205339	Cylinder compl. incl. 2 heater element 4,5 kW, 1 thermal sensor and teminal
			1							B-2205341	Cylinder compl. incl. 2 heater element 6,75 kW, 1 thermal sensor and teminal
				1						B-2205353	Cylinder compl. incl. 4 heater element 4,5 kW, 1 thermal sensor and teminal
					1					B-2205361	Cylinder compl. with 3 heater elements 6,75kW, 1 thermal sensor and terminal
						1				B-2205355	Cylinder compl. incl. 5 heater element 4,5 kW, 1 thermal sensor and terminal
							1			B-2205357	Cylinder compl. incl. 4 heater element 6,75 kW, 1 thermal sensor and teminal
								1		B-2205359	Cylinder compl. incl. 5 heater element 6,75 kW, 1 thermal sensor and teminal
											<b>Steam generation with electrical supply 690V</b>
1										B-2205483	Cylinder compl. incl. 1 heater element 4,5 kW, 1 thermal sensor and terminal
	1									B-2205485	Cylinder compl. incl. 1 heater element 6,75 kW, 1 thermal sensor and teminal
		1								B-2205431	Cylinder compl. incl. 2 heater element 4,5 kW, 1 thermal sensor and teminal
			1							B-2205437	Cylinder compl. incl. 2 heater element 6,75 kW, 1 thermal sensor and teminal
				1						B-2205435	Cylinder compl. incl. 4 heater element 4,5 kW, 1 thermal sensor and teminal
					1					B-2205437	Cylinder compl. with 3 heater elements 6,75kW, 1 thermal sensor and terminal
						1				B-2205439	Cylinder compl. incl. 5 heater element 4,5 kW, 1 thermal sensor and teminal
							1			B-2205441	Cylinder compl. incl. 4 heater element 6,75 kW, 1 thermal sensor and teminal
								1		B-2205487	Cylinder compl. incl. 5 heater element 6,75 kW, 1 thermal sensor and teminal
											<b>Steam Generation (P2 controller)</b>
											<b>Steam generation with electrical supply 440V</b>
1										B-2205407	Cylinder compl. incl. 1 heater element 4,5 kW, 1 thermal sensor and terminal
	1									B-2205409	Cylinder compl. incl. 1 heater element 6,75 kW, 1 thermal sensor and terminal
		1								B-2205411	Cylinder compl. incl. 2 heater element 4,5 kW, 1 thermal sensor and terminal
			1							on request	Cylinder compl. incl. 3 heater element 4,5 kW, 1 thermal sensor and teminal
				1						on request	Cylinder compl. incl. 4 heater element 4,5 kW, 1 thermal sensor and teminal
					1					on request	Cylinder compl. with 3 heater elements 6,75kW, 1 thermal sensor and terminal
						1				on request	Cylinder compl. incl. 5 heater element 4,5 kW, 1 thermal sensor and teminal
							1			on request	Cylinder compl. incl. 4 heater element 6,75 kW, 1 thermal sensor and teminal
								1		on request	Cylinder compl. incl. 5 heater element 6,75 kW, 1 thermal sensor and teminal
											<b>Steam generation with electrical supply 480V</b>
1										B-2205335	Cylinder compl. incl. 1 heater element 4,5 kW, 1 thermal sensor and terminal
	1									B-2205337	Cylinder compl. incl. 1 heater element 6,75 kW, 1 thermal sensor and teminal
		1								B-2205339	Cylinder compl. incl. 2 heater element 4,5 kW, 1 thermal sensor and terminal
			1							on request	Cylinder compl. incl. 3 heater element 4,5 kW, 1 thermal sensor and teminal
				1						on request	Cylinder compl. incl. 4 heater element 4,5 kW, 1 thermal sensor and teminal
					1					on request	Cylinder compl. with 3 heater elements 6,75kW, 1 thermal sensor and terminal
						1				on request	Cylinder compl. incl. 5 heater element 4,5 kW, 1 thermal sensor and teminal
							1			on request	Cylinder compl. incl. 4 heater element 6,75 kW, 1 thermal sensor and teminal
								1		on request	Cylinder compl. incl. 5 heater element 6,75 kW, 1 thermal sensor and teminal

*	HL6	HL9	HL12	HL18	HL24	HL27	HL30	HL36	HL45	Article No.	Description
<b>Steam generation with electrical supply 690V</b>											
1										B-2205483	Cylinder compl. incl. 1 heater element 4,5 kW, 1 thermal sensor and terminal
	1									B-2205485	Cylinder compl. incl. 1 heater element 6,75 kW, 1 thermal sensor and terminal
		1								B-2205431	Cylinder compl. incl. 2 heater element 4,5 kW, 1 thermal sensor and terminal
			1							on request	Cylinder compl. incl. 3 heater element 4,5 kW, 1 thermal sensor and terminal
				1						on request	Cylinder compl. incl. 4 heater element 4,5 kW, 1 thermal sensor and terminal
					1					on request	Cylinder compl. with 3 heater elements 6,75kW, 1 thermal sensor and terminal
						1				on request	Cylinder compl. incl. 5 heater element 4,5 kW, 1 thermal sensor and terminal
							1			on request	Cylinder compl. incl. 4 heater element 6,75 kW, 1 thermal sensor and terminal
								1		on request	Cylinder compl. incl. 5 heater element 6,75 kW, 1 thermal sensor and terminal
<b>Water Feed HL - Version Standard and P2 controller</b>											
14	1	1	1	1	1	1	1			B-2304055	Double solenoid valve, 0,2-10 bar, 200-240VAC, 2,5 l/min
14							1	1	1	B-2304057	Double solenoid valve, 0,2-10 bar, 200-240VAC, 3,5 l/min
	1	1	1	1	1	1	1	1	1	E-2304024	Fine filter in solenoid valve
	1	1	1	1	1	1	1	1	1	E-2304103	Captive coupling ring for solenoid valve 3/4"
32	1	1	1	1	1	1	1	1	1	E-2304107	Gasket for inlet screwed fitting, solenoid
	1	1	1	1	1	1	1	1	1	E-8501034	Hose collar for inlet screwed fitting, 3/4", solenoid
56	1	1	1	1	1	1	1	2	2	B-2304031	Hose for water connection, 3/4" cap nuts on both sides, seal included
	1	1	1	1	1	1	1	1	1	E-2304036	Rubber seal solenoid valve - cabinet
	1	1	1	1	1	1	1	1	1	B-2304040	Mounting set for solenoid valve
31	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	E-2604002	Hose, solenoid valve - cabinet
33	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	E-2604002	Hose, solenoid valve - SuperFlush
	1	1	1	1	1	1	1	1	1	E-2604044	Buckling protection for hose, control cylinder -steam hose adapter
6	1	1	1	1	1	1	1	1	1	B-2504129	Control cylinder for water level, compl. with flow switch (for units before April 2007)
6	1	1	1	1	1	1	1	1	1	B-2504139	Control cylinder for water level, compl. with flow switch (for units since April 2007)
6	1	1	1	1	1	1	1	1	1	E-2504174	Control cylinder for water level, without flow switch
27	1	1	1	1	1	1	1	1	1	B-2504145	Flow switch with sealings and screws
28	1	1	1	1	1	1	1	1	1	E-2304058	Rubber seal for water level control
30	0,5	0,5	0,5	0,5	0,5	0,5	0,5	0,5	0,5	E-2604004	Hose, cylinder base - control cylinder
36	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	E-2604002	Hose, control cylinder - steam hose adapter
38	0,8	0,8	1	1	1	1	1	1	1	E-2604002	Hose for manual drain
	1	1	1	1	1	1	1	1	1	E-2604021	T-piece, condensate manifold, type TS12, DN12
20	1	1	1	1	1	1	1	1	1	E-2604064	Handhold stopper for condensate hose
58	2	2	2	2	2	2	2	2	2	E-2604094	Double check valves
34	11	11	11	11	11	11	11	11	11	E-2304015	Hose clamp DN12
39	2	2	2	2	2	2	2	2	2	E-8501064	Hose clamp Dn 14.2
<b>Water Feed HL - Version Professional [P]</b>											
60	1,4	1,4	1,4	1,4	1,4	1,4	1,4	1,4	1,4	E-2604002	Hose DN12
61	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	1,6	E-2604002	Hose DN12
62	2	2	2	2	2	2	2	2	2	E-7600106	Coupling
63	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	0,3	E-7600186	Hose 8x6
64	0,4	0,4	0,4	0,4	0,4	0,4	0,4	0,4	0,4	E-7600186	Hose 8x6
65	2	2	2	2	2	2	2	2	2	E-7600090	Connecting piece, T piece, 8x6
66	0,1	0,1	0,1	0,1	0,1	0,1	0,1	0,1	0,1	E-7600186	Hose 8x6
67	0,033	0,033	0,033	0,033	0,033	0,033	0,033	0,033	0,033	E-7600186	Hose 8x6
68	2	2	2	2	2	2	2	2	2	E-7600092	Connecting piece, 90° piece
69	0,1	0,1	0,1	0,1	0,1	0,1	0,1	0,1	0,1	E-7600186	Hose 8x6
70	2	2	2	2	2	2	2	2	2	E-7600094	Connecting piece, straight
71	1	1	1	1	1	1	1	1	1	B-2304131	Quad solenoid valve
72	1	1	1	1	1	1	1	1	1	B-2304011	Fitting with double check valves
73	1	1	1	1	1	1	1	1	1	E-2204014	Hexagon nut G3/4"
<b>Water Drain HL</b>											
11	1	1	1	1	1	1	1	1	1	E-2205050	Cylinder base
12	1	1	1	1	1	1	1	1	1	E-2205052	Strainer basket
13	1	1	1	1	1	1	1	1	1	E-2205048	O-ring, cylinder base - steam cylinder
10	1	1	1	1	1	1	1	1	1	B-2404027	Drain pump 230V/50-60Hz without mounting set
19	1	1	1	1	1	1	1	1	1	B-2424014	Mounting set for drain pump
	1	1	1	1	1	1	1	1	1	E-2404026	Drain pump housing
18	1	1	1	1	1	1	1	1	1	E-3220005	O-ring, cylinder base - drain pump
21	1	1	1	1	1	1	1	1	1	E-2425002	Adapter, pump - drain hose, straight model, connections DN25/13
	1	1	1	1	1	1	1	1	1	E-2404024	O-ring for drain pump
35	1	1	1	1	1	1	1	1	1	E-2425004	Elbow with vent pipe
	1	1	1	1	1	1				B-3401031	Drain hose system for HL06-24
						1	1	1	1	B-3401029	Drain hose system for HL27-45
22	0,8	0,8	0,8	0,8	0,8	0,8	0,9	0,9	0,9	E-2604002	Hose, drain pump - elbow
23	0,8	0,8	0,8	0,8	0,8	0,8	0,9	0,9	0,9	E-2604004	Drain hose, elbow - outlet

*	HL6	HL9	HL12	HL18	HL24	HL27	HL30	HL36	HL45	Article No.	Description
<b>Control</b>											
<b>Steam Generation [P2 controller]</b>											
1	1	2	3	4	3	5	4	5	B-2507041	Main contactor 20A, DILM7, Coil voltage .230VAC	
1	1	1	1	1	1	1	1	1	B-2602107	Solid state relay 25 A, 1ph.	
<b>Steam Generation [B,C and CP; BDS, CDS and CPDS; P controller]</b>											
1	1	1							B-2507041	Main contactor 20A, DILM7, Coil voltage .230VAC	
			1	1					B-2507061	Main contactor 35A, DILM17, Coil voltage 230VAC	
				1	1				B-2507071	Main contactor 50A, DILM40, Coil voltage 230VAC	
						1	1		B-2507081	Main contactor 65A, DILM50, Coil voltage. 230VAC	
1	1								B-2602001	Solid state relay 25 A, 1ph., heat sink (150 x 50) mm,	
		1	1						B-2602103	Solid state relay 50 A, 2ph., heat sink (150 x 50) mm (not used for slave devices)	
				1					B-2602105	Solid state relay 50 A, 2ph., heat sink (150 x 80) mm (not used for slave devices)	
					2	2	2	2	B-2602009	Solid state relay 75 A, 1ph., heat sink (150 x 80) mm (not used for slave devices)	
1	1								B-2602107	Solid state relay 25 A, 1ph.	
		1	1	1					B-2602109	Solid state relay 50 A, 2ph.	
					2	2	2	2	B-2602111	Solid state relay 75 A, 1ph.	
<b>Steam generation with electrical supply 380-480V</b>											
<b>Steam Generation [P2 controller]</b>											
1	1	2	3	4	3	5	4	5	B-2507041	Main contactor 20A, DILM7, Coil voltage .230VAC	
1	1	1	1	1	1	1	1	1	B-2602107	Solid state relay 25 A, 1ph.	
<b>Steam Generation [B,C and CP; BDS, CDS and CPDS; P controller]</b>											
1	1	1	1						B-2507041	Main contactor 20A, DILM17, Coil voltage 230VAC	
				1					B-2507061	Main contactor 35A, DILM17, Coil voltage 230VAC	
					1	1			B-2507071	Main contactor 50A, DILM40, Coil voltage. 230VAC	
						1	1		B-2507081	Main contactor 65A, DILM50, Coil voltage. 230VAC	
1	1								B-2602001	Solid state relay 25 A, 1ph., heat sink (150 x 50) mm,	
		1	1						B-2602003	Solid state relay 50 A, 2ph., heat sink (150 x 50) mm (not used for slave devices)	
				1					B-2602105	Solid state relay 50 A, 2ph., heat sink (150 x 80) mm (not used for slave devices)	
					2	2	2	2	B-2602009	Solid state relay 75 A, 1ph., heat sink (150 x 80) mm (not used for slave devices)	
<b>Steam generation with electrical supply 600-690V</b>											
<b>Steam Generation [P2 controller]</b>											
1	1	2	3	4	3	5	4	5	B-2507041	Main contactor 20A, DILM7, Coil voltage .230VAC	
1	1	1	1	1	1	1	1	1	B-2602107	Solid state relay 25 A, 1ph.	
<b>Steam Generation [B,C and CP; BDS, CDS and CPDS; P controller]</b>											
1	1	1	1	1					B-2507041	Main contactor 20A, DILM17, Coil voltage 230VAC	
					1	1	1	1	B-2507061	Main contactor 35A, DILM17, Coil voltage 230VAC	
1	1	1	1	1	1	1	1	1	E-2205130	Solid state relay 75A/690V, without heat sink, single phase	
1	1	1	1	1		2	2	2	E-2205116	heat sink (150 x 50) mm	
						1		2	E-2205118	heat sink (150 x 80) mm	
1	1	1	1	1	2	2	2	2	E-2205108	Thermal circuit breaker with manual reset, 100°C ± 5K (not used for slave devices)	
1	1	1	1	1		1			E-2525506	Terminal 6 pole, 6mm² (mounted)	
						1	1	1	E-2525502	Terminal 9pole, 6mm² (mounted)	
<b>Basic</b>											
1	1	1	1	1	1	1	1	1	B-2526203	Electronic pcb Basis for HL	
							1	1	B-2526203	Elektronik pcb Basis for slave units	
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526213	Electronic pcb Basis for HL steambath	
1	1	1	1	1	1	1	1	1	B-2120901	Mounting plate with foil for Basic (without display)	
1	1	1	1	1	1	1	1	1	B-2120909	Mounting plate with foil for Basic (without display)	
1	1	1	1	1	1	1	1	1	E-2525410	Foil for mounting plate, type Basic	
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	E-2525418	Foil for mounting plate, type Basic DS	
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526303	Relais pcb for Basis pcb	

*	HL6	HL9	HL12	HL18	HL24	HL27	HL30	HL36	HL45	Article No.	Description
<b>Comfort</b>											
1	1	1	1	1	1	1	1	1	1	B-2526203	Electronic pcb Basis for HL
							1	1	1	B-2526203	Elektronik pcb Basis for slave units
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526213	Electronic pcb Basis for HL steambath
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526401	Comfort display incl. mounting plate with foil
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526445	Comfort display incl. mounting plate with foil DS
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2120903	mounting plate with foil for Comfort unit
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2120911	mounting plate with foil for Comfort unit DS
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	E-2525412	Foil for mounting plate type Comfort
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	E-2525420	Foil for mounting plate type Comfort DS
<b>Comfort Plus</b>											
1	1	1	1	1	1	1	1	1	1	B-2526203	Electronic pcb Basis for HL
							1	1	1	B-2526203	Elektronik pcb Basis for slave units
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526213	Electronic pcb Basis for HL steambath
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526403	Comfort Plus display incl. mounting plate with foil
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526447	Comfort Plus display incl. mounting plate with foil DS
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2120905	Mounting plate with foil for Comfort Plus
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	E-2525414	Foil for mounting plate Comfort Plus
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	E-2525422	Foil for mounting plate Comfort Plus DS
<b>Professional [P, P2]</b>											
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526603	Control Professional
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	B-2526605	Extension Modul
(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	(1)	E-2504204	Transformer
<b>Accessories</b>											
56										B-2304031	Hose for water supply 3/4"
57										E-2420423	Drain hose 1 1/4"
										B-3216091	O-ringset for HL 6 - 27
										B-3216093	O-ringset for HL 30 - 45
										B-3216085	Heater maintenance set (incl. sealing, pressureplate, nut, washers)
										E-2604034	Reducing piece DN 40/DN 25 for steam hose
										E-2604012	Steam hose DN 25, per m
										E-2604013	Steam hose DN 40, per m
										E-2604002	Condensate hose DN 12, per m
										E-2604004	hose, vent - outlet (14,2 x 3 mm)
										E-2404004	Steam hose clamp DN 25
										E-2604016	Steam hose clamp DN 40
										E-2304015	Condensate hose clamp DN 12
										E-2604042	Steam manifold T-piece DN 25, stainless steel
										E-2604023	Steam manifold T-piece DN 40, stainless steel
										E-2604000	Steam manifold Y-piece DN 40, stainless steel
										E-2604021	Condensate connector T-piece DN 12
										B-2604025	Steam solenoid valve 0-0,4 bar, compl. for steam hose DN 25
										B-2604040	Steam solenoid valve 0-0,4 bar, compl. for steam hose DN 40
										E-2604029	Hose nozzle DN 25 - R 3/4"
										E-2504031	Driller (17-21mm)



