

| * | MSE05 MSE10 | Article No. | Description |
|----|----------------|-------------|--|
| | | | Steam generation |
| 1 | 1 | HS-83-00012 | Nozzle |
| 2 | 1 | E-3117014 | Tangential blower |
| 3 | 1 | E-9601022 | Connection hose, cylinder-nozzle |
| 16 | 1 | SP-03-00000 | Steam cylinder CY08 complete |
| 49 | 1 | B-3204021 | Electrodes without hand nuts, set=3pcs |
| 10 | 1 | B-3204029 | Sensor electrode without hand nut |
| 48 | 1 | B-2207101 | Hand nuts M6 for cylinder CY08, set=3pcs |
| 8 | 1 | E-2204202 | Hand nut M6, grey, for sensor electrode |
| 18 | 1 | B-3216021 | Cylinder flange clamps, set=24pcs |
| 37 | 1 | E-3220002 | Cylinder base |
| | 1 | B-3216023 | Mounting set for cylinder base |
| | 1 | AC-03-00000 | O-ringset (Pos. 17, 31, 34, 35) |
| | | | Water feed |
| 25 | 1 | WF-03-00010 | Solenoid valve, 1,1l/min, 220-240V, 0,2 - 10bar, with mounting set |
| 20 | 1,1 | E-2604002 | Connecting hose solenoid valve - cylinder base [m] |
| 23 | 1 | E-2304080 | Bush for earthing |
| 58 | 1 | E-2604094 | Double check valve |
| 22 | 6 | E-8501064 | Hose clamp 12-22mm |
| 56 | 1 | B-2304031 | Hose for water connection, 0,6m, 3/4" cap nuts on both sides |
| | | | Water drain |
| | 1 | B-2425005 | Pump-drain-hose-system (Pos. 6, 14, 15, 30, 31) |
| 32 | 1 | B-2404027 | Drain pump without mounting set, with 2 o-rings |
| 42 | 1 | B-2424014 | Mounting set for drain pump |
| | | | Electronic standard voltage (MSExx-AAyy) |
| | 1 | E-2501005 | Main contactor 20A |
| | 1 | CN-07-00000 | Mainboard incl. plug |
| | 1 | CN-07-00001 | Display |
| | 2 | E-0510012 | Clip for display |
| | 1 | E-2502412 | Control switch, double pole, middle position = "0" |
| 4 | 1 | WR-03-00001 | Connecting cables for electrodes and sensor electrode with plugs |
| | | | Accessories |
| 57 | x | E-2420423 | Drain hose 1 1/4", per m |
| | x | E-2404010 | Clamp for drain hose 1 1/4" |



